

THE MOST IMPORTANT MODERN PEDIATRIC FOUNDATIONS OF THE PRESENT DAY

Abdullaeva D. A.

Andijan State Medical Institute

Abstract: In the steadily developing scene of medical services, the field of pediatrics has arisen as a basic foundation, committed to the far-reaching care and prosperity of youngsters. As the world keeps on wrestling with the intricacies of present-day life, the job of pediatricians has become progressively indispensable, incorporating the actual strength of youthful patients as well as their profound, social, and formative requirements. This article digs into the major standards and headways that have molded the cutting-edge practice of pediatrics, featuring the fundamental information and abilities expected to give uncommon consideration to the assorted and dynamic populace of kids.

Keywords: modern approaches, treatments, high-end technologies, diagnoses, pediatrics, practices, specialists.

Introduction: Pediatrics is quickly advancing, and the symptomatic instruments are growing the range of determinations that can be recognized at the bedside. The new advancement distinguished in pediatrics of the most recent 20 years is shocking and has united the idea that youngsters are not "more modest grown-ups" and for sure, perinatal and pediatric pathology has turned into an autonomous subspecialty in pathology with amazing convergences with fetal medication, neonatology, and pediatrics. The neonatal emergency unit as well as the pediatric emergency unit assume a significant part in current medical clinics. These segments of the clinic furnish debilitated babies and youngsters with the most significant level of clinical consideration.

Uniquely in contrast to the overall clinical floors, the two units permit serious nursing care and persistent checking of imperative boundaries, including pulse, breathing, and circulatory strain. The endurance of untimely children and little for date babies has expanded dramatically over the most recent couple of many years. Then again, the insusceptible framework, as well as the pneumonic and gastrointestinal organs, stay hard to make due. At this age an expanded pace of disease has been recognized, and gastrointestinal brokenness is normal. Cardiovascular capability and sepsis are personally related and may set off early passing without NICU or PICU mediation.

Albeit the demonstrative systems in babies are much of the time covering with symptomatic calculations utilized at more established age, they keep on being a perplexing and dynamic cycle which requires a legitimate examination of the obstetrical and clinical history, talented actual assessment, fitting research center tests, and imaging review regardless of neurotic assessment of tissue biopsies. Then again, even with these means, analysis might stay subtle. The excursion from the primary appearance of side effect or sign to the last conclusion might appear to be some of the time relentless. Today, new procedures appear to abbreviate this excursion quickly, and cutting-edge sequencing (NGS) will assume a significant part in the following 10 years.

NGS is turning out to be an ever-increasing number of utilized in centers other than in scholarly community, albeit one of the most difficult parts of NGS testing might live in its logical legitimacy. The field of metabolomics is for sure creating at a noteworthy rate, especially in pediatrics. Throughout recent years, the pre-clinical recognition of pathologies has become stronger and more effective. In electronic libraries, new biomarkers are being recognized for a few

pathologies in neonatology and pediatrics. The board of pediatric sicknesses might become mitigating, and the utilization of single nucleotide polymorphisms to improve our way to deal with a few pediatric symptomatic algorithmic disappointments focusing on the interindividual fluctuation might be thought of. Pediatric preliminary organizations give pediatricians, scientists, and offices with new data on how kids might answer medications and drugs.

The current Extraordinary Issue gathers wet lab exploration and survey articles to feature a few fields of pediatrics that might shape future headings in the determination and the executives of certain illnesses. Pediatric cardiovascular breakdown is a test in neonatology and pediatrics, and quality confirmation measures are critical. An open-heart medical procedure with cardiopulmonary detour (CPB) stays an interventional method joined by a high mortality/bleakness rate. Satriano et al. examined whether blood centralizations of glutathione (GSH), a strong endogenous cell reinforcement, changed in the perioperative period. In the perioperative period, the expansion in GSH might recommend that a compensatory component to oxidative harm during surgery happens.

The estimation of the interferon (IFN) score has been recommended for the screening of monogenic interferonopathies, similar to the Aicardi-Goutières condition. Additionally, it very well might be valuable to define subjects with foundational lupus erythematosus prior to getting IFN-designated medicines. Pin et al. fostered a way to deal with diminish the between research center changeability. These creators give shared systems to the IFN signature examination. They permit various focuses to look at information and union their encounters. Diabetic retinopathy (DR) is an emotional and major microvascular confusion of diabetes mellitus, and not very many examinations have proven the size of this problem in the pediatric populace.

The Worldwide Society for Pediatric and Juvenile Diabetes (ISPAD) commands that yearly evaluating for DR ought to be acted in patients matured 11 years after diabetes of 2 years' length and from 9 years old with diabetes of 5 years' span. Koozie et al. concentrated on the width of individual retinal layers in patients with type 1 diabetes (T1DM) connecting their information with markers of diabetes metabolic control applying the optical lucidness tomography (OCT) concentrate on performed utilizing a superior quality OCT Cirrus 5000.

The creators found a positive connection between's middle thickness and otherworldly space for normal glycemia and worldly CT with age at assessment, proposing that chose boundaries might be applied as expected markers of preclinical period of DR in patients with T1DM. Allen and Gupta feature the current and closest cutting edge point of view of "fake pancreas" recommending that soon such a framework may not need any manual patient information permitting patients to eat over the course of the day without entering any blood sugars or counting starches. Such a gadget might be financially accessible as innovation keeps on progressing toward this path utilizing man-made consciousness. Sarcoidosis is a provocative condition of non-necrotizing granulomatous sort with multisystemic appearances, and its event in pediatrics is certainly not a secluded seeing as any more. Scarcely any cases have been accounted for of this captivating sickness in youngsters and youth. Chiu et al. modified this subject exhaustively in this issue.

These creators zeroed in on beginning stage sarcoidosis, high-risk sarcoidosis, and abnormal sarcoid-related illnesses. Blau condition and beginning stage sarcoidosis happen in youngsters more youthful than five years appearing with extra-thoracic discoveries yet normally without lymphadenopathy and aspiratory association. Endoscopic bronchial ultrasound (EBUS) and

transbronchial fine-needle yearning (TBNA) examining of intrathoracic lymph hubs and lung might give great analytic yield and fantastic patient security profile in adolescence. Respiratory syncytial infection (RSV) bronchiolitis stays a significant reason for dreariness in early earliest stages. RSV has a place with the types of Orthopneumovirus. The human RSV (HRSV) contaminates 60% of babies during their most memorable RSV season, and generally all kids show a disease record with this infection by 2-3 years old. Among the babies contaminated with RSV, 2-3% will foster bronchiolitis, requiring hospitalization.

RSV bronchiolitis is a significant reason for disease and hospitalization in outset and youth around the world. Palivizumab can be utilized to forestall this disease in preterm children, babies with specific inborn heart deserts (CHD), babies impacted with bronchopulmonary dysplasia (BPD), and newborn children with inborn deformities of the aviation route. HRSV bronchiolitis is treated with strong consideration, including oxygen treatment, persistent positive aviation route pressure (CPAP) or nasal high stream oxygen, as required. Rodriguez-Gonzalez et al. recognized that left ventricular myocardial brokenness (LVMD) could happen in sound babies with HRSV bronchiolitis who foster serious sickness and should be treated at the PICU. N-terminal favorable to B-type natriuretic peptide (NT-proBNP) appears to expand the precision of customary clinical markers in anticipating the results. Duvekot et al. report an interesting occasion muddling a typical adenotonsillectomy. Subcutaneous and mediastinal emphysema followed by bunch A beta-hemolytic streptococci mediastinitis happened in a small kid, reminding us the hazardous difficulties of such surgery. Essential signs for adenotonsillectomy are obstructive rest apnea (OSA) and repetitive pharyngotonsillitis.

In spite of the fact that there is proof based medication supporting the utilization of such surgeries on kids impacted with OSA that is for the most part determined on rest studies, personal satisfaction, and kid conduct, it appears to be that the effect of a medical procedure on repetitive sore throat side effects is less very much depicted. It has been shown that kids more youthful than three years and youngsters with OSA of moderate to extreme degree, as well as babies impacted with critical comorbidities ought to be conceded for the time being perception. In many patients, straightforward absence of pain is sufficient postoperatively, while codeine is contraindicated because of instances of postoperative demise as outcome of respiratory concealment. Torment and postoperative discharge (2-4%) are the most well-known confusions, however draining can be perilous, by and by the death rate stays little yet significant (1:30,000).

Other than tonsillar growth, salivary organ broadening is a condition which enters in the differential conclusion of head and neck (H&N) masses. Branchial sores, sialadenitis, and irritation of the salivary organs are many times found in adolescence and youth, however H&N threatening pathologies additionally should be thought about. Sergi et al. basically survey the symptomatic highlights of a pediatric mass of the H&N locale. Somatosensory evoked possibilities (SSEPs) are vital in surveying the utilitarian respectability of the brain processes and for anticipating the result of perinatal wounds. Barkhuizen et al. concentrated on the translational capability of SSEPs along with tactile capability in rodents with perinatal hypoxic-ischemic occasions. No gathering distinctions in the abundance or idleness of the evoked possibilities of the previous tactile reaction were seen, yet in any case this technique for study is fascinating for the capability.

Conclusion: All in all, the basics of current pediatrics envelop a complete comprehension of the physical, close to home, and social requirements of youngsters, combined with a guarantee to

preventive medical services, cooperative consideration, and the coordination of mechanical progressions. Pediatricians assume a crucial part in advancing the prosperity of youngsters, filling in as supporters, teachers, and believed accomplices for families exploring the intricacies of kid wellbeing and improvement. As the field keeps on developing, the standards of present-day pediatrics will stay fundamental in guaranteeing that each youngster has the valuable chance to flourish and arrive at their maximum capacity.

References:

1. Sergi C., Hager T., Hager J. Congenital Segmental Intestinal Dilatation: A 25-Year Review with Long-Term Follow-up at the Medical University of Innsbruck, Austria. *AJP Rep.* 2019;9: e218–e225. Doi: 10.1055/s-0039-1693164.
2. Nozimjon o'g'li, S. S. (2022). Emergency medical care in case of drowning and measures to restore the patient's health. *Academia open*, 7, 10-21070.
3. Камилова, У. К., Расулова, З. Д., Закирова, Г. А., Нуритдинов, Н. А., & Машарипова, Д. Р. (2020). РОЛЬ МОЗГОВОГО НАТРИЙУРЕТИЧЕСКОГО ПЕПТИДА И АЛЬДОСТЕРОНА В РАЗВИТИИ ДИСФУНКЦИИ ПОЧЕК У БОЛЬНЫХ С ХРОНИЧЕСКОЙ СЕРДЕЧНОЙ НЕДОСТАТОЧНОСТЬЮ. *Достижения науки и образования*, (13 (67)), 35-39.
4. Nozimjon O'g'li, S. S., & Kasimjanovna, D. O. (2022, November). ORIGIN, PREVENTION OF MENINGITIS DISEASE, WAYS OF TRANSMISSION AND THE USE OF DIFFERENT ROUTES IN TREATMENT. In *E Conference Zone* (pp. 37-40).
5. Nozimjon o'g'li, S. S., & Kozimjon o'g'li, A. D. (2024). NERV SISTEMASI EMBRIOLOGIYASI. *International journal of scientific researchers (IJSR) INDEXING*, 4(1), 180-184.
6. Мухамедова, М. Г., Куртиева, Ш. А., & Назарова, Ж. А. (2020). СИНДРОМ ФУНКЦИОНАЛЬНОЙ КАРДИОПАТИИ У СОВРЕМЕННЫХ ПОДРОСТКОВ. In *П84 Профилактическая медицина-2020: сборник научных трудов Все-российской научно-практической конференции с международным участием. 18–19 ноября 2020 года/под ред. АВ Мельцера, ИШ Якубовой. Ч. 2.—СПб.: Изд-во СЗГМУ им. ИИ Мечникова, 2020.—304 с. (p. 105).*
7. Kurtieva, S., Nazarova, J., & Mullajonov, H. (2021). Features of endocrine and immune status in adolescents with vegetative dystonia syndrome. *International Journal of Health Sciences*, 5(2), 118-127.
8. Kurtieva, S., Nazarova, J., & Mullajonov, H. (2021). Features of Physical and Generative Development of Modern Teenagers Living in Uzbekistan. *NeuroQuantology*, 19(7), 57.
9. Куртиева, Ш. (2021). CHANGES IN ELECTROENCEPHALOGRAM INDICATORS IN ADOLESCENTS WITH VEGETATIVE DYSFUNCTION. *УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ, (SPECIAL 3).*
10. Kurtieva, S. (2021). Adaptation capabilities of functional systems of the body of adolescents with vegetative dystonia syndrome. *International Journal of Health and Medical Sciences*, 4(1), 129-135.
11. Kurtieva, S. (2021). Clinical And Anamnestic Characteristics Of The Health State Of Adolescents With Vegetative Dysfunction Syndrome. *The American Journal of Medical Sciences and Pharmaceutical Research*, 3(06), 1-12.
12. Nozimjon o'g'li, S. S. (2022). First Aid Medication and Remedies for Heart Failure. *Academia Open*, 7, 10-21070.

13. Расулова, З. Д., Шайхова, У. Р., Нуритдинова, М. Д., & Мухамедиева, Д. К. (2023). МОДЕЛИРОВАНИЕ СЕРДЕЧНО-СОСУДИСТОГО РИСКА И ФАКТОРОВ РИСКА У БОЛЬНЫХ С СЕРДЕЧНО-СОСУДИСТЫМИ ЗАБОЛЕВАНИЯМИ. *Research Focus International Scientific Journal*, 2(7), 70-81.
14. Kurtieva, S. (2022). 24-HOUR BLOOD PRESSURE MONITORING IN ADOLESCENTS WITH VEGETATIVE DYSTONIA SYNDROME. *The American Journal of Medical Sciences and Pharmaceutical Research*, 4(01), 1-8.
15. Rasulova, Z. D., Muhamediyeva, D. K., Shaykhova, U. R., & Nuritdinova, M. D. (2023). MODELING CARDIOVASCULAR RISK AND RISK FACTORS IN PATIENTS WITH CARDIOVASCULAR DISEASES. *Евразийский журнал медицинских и естественных наук*, 3(7), 28-40.
16. Kamilova, U. K., Rasulova, Z. D., Zakirova, G. A., & Toshev, B. B. (2019). Features of cardiovascular remodeling, the level of neurohumoral factors depending on the degree of chronic heart failure and kidney dysfunction. *Cardiovascular Therapy and Prevention*, 18(3), 35-40.
17. Камилова, У. К., Расулова, З. Д., Тагаева, Д. Р., & Джураева, В. Х. (2017). Влияние лечебной физической культуры на качество жизни у больных с хронической сердечной недостаточностью. *CardioСоматика*, 8(1), 37-38.
18. Kodirova, S. S., Rasulova, Z. D., & Avezov, D. K. (2010). The study of psychological status in patients with chronic heart failure. In *Materials of the Russian National Congress of Cardiologists* (p. 139).
19. Камилова, У. К., Аvezov, Д. К., Расулова, З. Д., & Джураева, Ш. А. (2009). Влияние карведилола на параметры перфузии миокарда у больных с постинфарктным ремоделированием левого желудочка. *Кардиология*, 49(2), 66-66.
20. Камилова, У. К., Аvezov, Д. К., Расулова, З. Д., & Джураева, Ш. А. (2009). Влияние карведилола на параметры перфузии миокарда у больных с постинфарктным ремоделированием левого желудочка. *Кардиология*, 49(2), 66-66.
21. Kurtieva, S. (2021). Physical Performance Assessment in Adolescents with Autonomic Dysfunction. *International Journal Of Medical Science And Clinical Research Studies*, 1(6), 143-146.
22. Yusup o'g'li, M. I. (2022). Mustaqil ta'limni blended learning texnologiyasi asosida tashkil etish. *FAN, TA'LIM VA AMALIYOTNING INTEGRASIYASI*, 436-441.
23. Beutler, M., Homann, A. R., Mihalic, M., Plesnik, S., Niebling, L., Eckart, M., ... & Hoffmann, H. (2021). Rapid tuberculosis diagnostics including molecular first-and second-line resistance testing based on a novel microfluidic DNA extraction cartridge. *The Journal of Molecular Diagnostics*, 23(5), 643-650.
24. Saifutdinov, Z. (2021). Molecular Determinants of Isoniazid Drug Resistance Mycobacterium tuberculosis. *EC Pulmonology and Respiratory Medicine*, 10, 63-68.